AUG 2 0 2004
PATENT & TRADEMARK OFFICE

1 ACQUIRE DATA
2 PROCESS SIGNAL
3 SEPARATE COLORS
4 REMOVE PRIMERS
5 TRACK SIZES
6 EXTRACT PROFILES

FIG.1



FIG.2



FIG.3

AUG 2 0 2004
PATENT & TRADEMARK OFFICE



FIG. 4

AUG 2 0 2004
PATENT & TRADEMARK OFFICE

7 DERIVE ALLELIC LADDER
8 TRANSFORM COORDINATES
9 QUANTITATE TRACE
10 ANALYZE DATA

FIG.5



FIG.6

AUG 2 0 2004
PATENT & TRADEMARK OFFICE



FIG. 7

AUG 2 0 2004
PATENT & TRADEMARK OFFICE



FIG. 8

AUG 2 0 2004
PATENT & TRADEMARK OFFICE
JC110



FIG. 9

AUG 2 0 2004
PATENT & TRADEMARK OFFICE



FIG.10

AUG 2 0 2004
PATENT & TRADEMARK OFFICE
JC110



FIG.11

AUG 2 0 2004
PATENT & TRADEMARK OFFICE



FIG.12

AUG 2 0 2004
PATENT & TRADEMARK OFFICE



FIG. 13

AUG 2 0 2004
PATENT & TRADEMARK OFFICE
JC110



FIG.14